


## America's #1-selling shingle just got better — again

Now with a 25-Year StainGuard Plus™ Algae Protection Limited Warranty<sup>3</sup> and LayerLock™ Technology, Timberline HDZ® offers everything you can expect from an architectural shingle roof, and more.





## Harvest Blend Colors



Note: It is difficult to reproduce the color clarity and actual color blends of these products. Before selecting your color, please ask to see several full-size shingles.



Explore colors and styles with our Virtual Home Remodeler at [gaf.com/VHR](http://gaf.com/VHR)



# Timberline HDZ® Shingles

## Benefits:

- **LayerLock™ Technology** mechanically fuses the common bond between overlapping shingle layers
- The added strength at the common bond powers the **StrikeZone™** — the industry's widest nailing area
- **Up to 99.9% nailing accuracy** — the StrikeZone™ nailing area is so easy to hit that a roofer placed 999 out of 1,000 nails correctly in our test<sup>2</sup>
- **Up to 30% faster nail fastening** thanks to the industry's largest nail zone

- Our legendary **Dura Grip™** sealant pairs with the smooth microgranule surface of the StrikeZone™ nailing area for fast tack. Then, an asphalt-to-asphalt monolithic bond cures for durability, strength, and exceptional wind uplift performance.
- **WindProven™ Limited Wind Warranty<sup>1</sup>** — when installed with the required combination of GAF Accessories, Timberline HDZ® Shingles are eligible for an industry first: a wind warranty with no maximum wind speed limitation
- **25-year StainGuard Plus™ Algae Protection Limited Warranty** against blue-green algae discoloration.<sup>3</sup> Proprietary GAF Time-Release Algae-Fighting Technology helps protect your shingles from unsightly stains.

## Installation:




### The StrikeZone™ Nailing Area

The industry's largest nailing area for up to 99.9% nail placement accuracy.<sup>2</sup>



### LayerLock™ Technology

Proprietary technology mechanically fuses the common bond between overlapping shingle layers.



1. Alignment guide
2. StrikeZone™ Nailing Area
3. Dura Grip™ Adhesive
4. LayerLock™ Technology
5. Smooth microgranule surface



Visit [gaf.com/TimberlineHDZ](http://gaf.com/TimberlineHDZ)

<sup>1</sup> 15-year WindProven™ limited wind warranty on GAF Shingles with LayerLock™ Technology requires the use of GAF Starter Strips, Roof Deck Protection, Ridge Cap Shingles, and Leak Barrier or Attic Ventilation. See *GAF Roofing System Limited Warranty* for complete coverage and restrictions. Visit [gaf.com/LRS](http://gaf.com/LRS) for qualifying GAF products. For installations not eligible for the *GAF Roofing System Limited Warranty*, see the *GAF Shingle & Accessory Limited Warranty*.

<sup>2</sup> Results based on study conducted by Home Innovation Research Labs, an independent research lab, comparing installation of Timberline HD® Shingles to Timberline HDZ® Shingles on a 16-square roof deck using standard 4-nail nailing pattern under controlled laboratory conditions. Actual results may vary.

<sup>3</sup> 25-year StainGuard Plus™ Algae Protection Limited Warranty against blue-green algae discoloration is available only on products sold in packages bearing the StainGuard Plus™ logo. See *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions and qualifying products.



We protect what matters most™